Winter/Spring 2008

Printer Product Guide

HOME & SMALL OFFICE

WORKGROUP & COMMERCIAL

COLOR

DIGITAL COPIER / PRINTER

At your side.
brother®

How can I reduce my printing costs?

- Choosing a model with a low cost-per-page is one of the easiest ways to reduce your total cost of ownership.
- To calculate a laser printer's cost-per-page, divide the price of the toner cartridge by its rated yield. If the printer has a separate drum unit, divide the price of the drum by its rated yield and then add up the costs for both items.

$$\frac{\text{Toner Cartridge Price}}{\text{Rated Yield}} + \frac{\text{Drum Unit Price}}{\text{Rated Yield}} = \text{Laser Printer's Cost-per-Page}$$

- High-yield toner cartridges offer lower operating costs than standard yield cartridges.
- Some printers include one or more starter toner cartridges, which will need to be replaced more quickly than standard yield toner cartridges.
- Network printers enable you to share a printer among a group of users, reducing the number of printers that you need to purchase, install, and maintain.

At your side.
brother®
www.brother.com

BROTHER INTERNATIONAL CORPORATION
100 Somerset Corporate Boulevard, Bridgewater, NJ 08807-0911
Phone: (908) 704-1700 Fax: (908) 575-3776
Customer Service: 1-877-276-8437

Windows is a registered trademark of Microsoft Corporation. Windows Vista is a registered trademark of Microsoft Corporation in the United States and/or other countries. PostScript is a trademark of Adobe Systems, Inc. All other brand and product names are registered trademarks or trademarks of their respective companies. Printed in the U.S.A. Specifications subject to change without notice.

© 2007 Brother International Corporation.

CATPLB2007-12

Digital Copier, Laser Printer, Color Scanner

Monochrome

DCP-7020
Compact

DCP-8060
High-Speed, Desktop

DCP-8065DN
Networking, Duplex

Specifications

	DCP-7020	DCP-8060	DCP-8065DN
TECHNOLOGY			
Maximum Print Speed (Mono / Color) **Maximum Copy Speed** (Mono / Color)	20ppm (Mono) 20cpm (Mono)	30ppm (Mono) 30cpm (Mono)	30ppm (Mono) 30cpm (Mono)
Time to First Page (Print) (Mono / Color)	< 10 sec.	< 8.5 sec.	< 8.5 sec.
Maximum Print Resolution	HQ1200 (2400 x 600 dpi)	1200 x 1200 dpi	1200 x 1200 dpi
Memory (Standard / Maximum*)	16MB / 16MB	32MB / 544MB	32MB / 544MB
COMPATIBILITY			
Windows®	Windows Vista®/XP/2000/ NT 4.0/Me/98	Windows Vista®/XP/2000/ NT 4.0/Me/98	Windows Vista®/XP/2000/ NT 4.0/Me/98/Server 2003[9]
Mac®	OS 9.1-9.2, OS X 10.2.4 or greater	OS 9.1-9.2, OS X 10.2.4 or greater	OS 9.1-9.2, OS X 10.2.4 or greater
Standard Interfaces	Parallel, USB[6]	Parallel, Hi-Speed USB 2.0	Parallel, Hi-Speed USB 2.0
Standard Network Interfaces	—	—	10/100 Base-TX Ethernet
Printer Languages / Emulations	GDI	PCL6, BR-Script 3[4]	PCL6, BR-Script 3[4]
PAPER HANDLING			
Standard Input Capacity	250 sheets + single-sheet by-pass slot	250 sheets + 50-sheet multi-purpose tray	250 sheets + 50-sheet multi-purpose tray
ADF Capacity	35 sheets (auto feed scan/copy)	50 sheets (auto feed scan/copy)	50 sheets (auto feed scan/copy)
Maximum Input Capacity	250 sheets	550 sheets with optional paper tray unit*	550 sheets with optional paper tray unit*
Output Capacity	100 sheets face down	150 sheets face down	150 sheets face down
Duplex Capability	—	—	Copy[8], Print, Scan[8]
Paper Sizes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes
Paper Handling Options* (Max. Capacity)	—	250-sheet lower paper tray unit (1)	250-sheet lower paper tray unit (1)
ADDITIONAL USER MODES[5]			
Printing	Toner Save, N-Up Printing, Watermark, Poster Printing, Poster Copying	Toner Save, N-Up Printing, Watermark, Poster Printing, Poster Copying, Secure Print, Secure Function Lock	Toner Save, N-Up Printing, Watermark, Poster Printing, Poster Copying, Secure Print, Secure Function Lock
Copying	Up to 99 copies; Reduce/Enlarge 25–400%	Up to 99 copies; Reduce/Enlarge 25–400%	Up to 99 copies; Reduce/Enlarge 25–400%
Scanning	Color & B/W: 600 x 2400 dpi (optical); 9600 x 9600 dpi (interpolated)[5] TWAIN/WIA scanner drivers	Color & B/W: 1200 x 2400 dpi (optical); 19200 x 19200 dpi (interpolated)[5] TWAIN/WIA scanner drivers Scan to Email/File/Image/OCR	Color & B/W: 1200 x 2400 dpi (optical); 19200 x 19200 dpi (interpolated)[5] TWAIN/WIA scanner drivers, Scan to Email/File/Image/OCR/FTP
OTHER			
In-Box Toner Yield[1] (Mono / Color)	1,500 pages	3,500 pages	3,500 pages
Replacement Supplies*	TN-350 Toner (2,500 pages)[1] DR-350 Drum (12,000 pages)[2]	TN-550 Toner (3,500 pages)[1] TN-580 Toner (7,000 pages)[1] DR-520 Drum (25,000 pages)[2]	TN-550 Toner (3,500 pages)[1] TN-580 Toner (7,000 pages)[1] DR-520 Drum (25,000 pages)[2]
Dimensions (WxDxH) / Weight	17.0" x 15.6" x 11.6" / 20.8 lbs.	20.9" x 17.7" x 18.7" / 35.4 lbs.	20.9" x 17.7" x 18.7" / 35.8 lbs.
Limited Warranty	1 Year Express Exchange[3]	3 Years Total (2 Year Express Exchange plus 1 Year Depot Service)[3]	3 Years Total (2 Year Express Exchange plus 1 Year Depot Service)[3]

*Additional purchase required.

[1]Toner yield is approximate based on 5% page coverage (letter).

[2]Drum yield is approximate and may vary by type of use.

[3]See warranty for details.

[4]PostScript®3™ compatible.

[5]Some advanced functions are not supported under all operating systems. Refer to User's Guide at www.brother.com.

[6]Compatible with USB 2.0 specification.

[8]Duplex scanning through ADF – letter size maximum.

[9]Print only.

Digital Copier, Laser Printer, Color Scanner

Color

DCP-9040CN
Networking

DCP-9045CDN
Networking, Duplex

Specifications

	DCP-9040CN	DCP-9045CDN
TECHNOLOGY		
Maximum Print Speed (Mono / Color) **Maximum Copy Speed** (Mono / Color)	21ppm / 21ppm 17cpm / 17cpm	21ppm / 21ppm 17cpm / 17cpm
Time to First Page (Print) (Mono / Color)	< 16 sec. / < 17 sec.	< 16 sec. / < 17 sec.
Maximum Print Resolution	2400 x 600 dpi	2400 x 600 dpi
Memory (Standard / Maximum*)	64MB / 576MB	128MB / 640MB
COMPATIBILITY		
Windows®	Windows Vista®/XP/XP x64/ 2000/Server 2003[3]	Windows Vista®/XP/XP x64 2000/Server 2003[3]
Mac®	OS X 10.2.4 or greater	OS X 10.2.4 or greater
Standard Interfaces	Hi-Speed USB 2.0	Hi-Speed USB 2.0 USB Direct Interface / PictBridge
Standard Network Interfaces	10/100 Base-TX Ethernet	10/100 Base-TX Ethernet
Printer Languages / Emulations	PCL6, BR-Script 3[4]	PCL6, BR-Script 3[4]
PAPER HANDLING		
Standard Input Capacity	250 sheets + 50-sheet multi-purpose tray	250 sheets + 50-sheet multi-purpose tray
ADF Capacity	35 sheets (auto feed scan/copy)	50 sheets (auto feed scan/copy)
Maximum Input Capacity	300 sheets	800 sheets with optional paper tray unit*
Output Capacity	150 sheets face down	150 sheets face down
Duplex Capability	—	Copy[8], Print, Scan[8]
Paper Sizes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes
Paper Handling Options* (Max. Capacity)	—	500-sheet lower paper tray unit (1)
ADDITIONAL USER MODES[5]		
Printing	Toner Save, N-Up Printing, Watermark, Secure Print	Toner Save, N-Up Printing, Watermark, Secure Print, Secure Function Lock
Copying	Up to 99 copies; Reduce/Enlarge 25–400%	Up to 99 copies; Reduce/Enlarge 25–400%
Scanning	Color & B/W: 1200 x 2400 dpi (optical); 19200 x 19200 dpi (interpolated)[5] TWAIN/WIA scanner drivers, Scan to Email/File/Image/OCR/FTP	Color & B/W: 1200 x 2400 dpi (optical); 19200 x 19200 dpi (interpolated)[5] TWAIN/WIA scanner drivers, Scan to Email/File/Image/OCR/FTP/USB
OTHER		
In-Box Toner Yield[1] (Mono / Color)	2,500 / 1,500 pages	2,500 / 1,500 pages
Replacement Supplies*	TN-110BK / TN-110 C,M,Y (2,500 pages / 1,500 pages)[1] TN-115BK / TN-115 C,M,Y (5,000 pages / 4,000 pages)[1] DR-110CL Drum (17,000 pages)[2]	TN-110BK / TN-110 C,M,Y (2,500 pages / 1,500 pages)[1] TN-115BK / TN-115 C,M,Y (5,000 pages / 4,000 pages)[1] DR-110CL Drum (17,000 pages)[2]
Dimensions (WxDxH) / Weight	17.0" x 19.2" x 19.0" / 72.2 lbs.	20.9" x 21.0" x 20.5" / 82.9 lbs.
Limited Warranty	1 Year On-Site[3]	1 Year On-Site[3]

*Additional purchase required.

[1]Toner yield is approximate based on 5% page coverage (letter).

[2]Drum yield is approximate and may vary by type of use.

[3]See warranty for details.

[4]PostScript®3™ compatible.

[5]Some advanced functions are not supported under all operating systems. Refer to User's Guide at www.brother.com.

[8]Duplex scanning through ADF – letter size maximum.

[9]Print only.

Mono Laser Printers

Home & Home Office

HL-2140
Compact

HL-2170W
Networking, Wireless

Specifications

	HL-2140 Compact	HL-2170W Networking, Wireless
TECHNOLOGY		
Maximum Print Speed (Mono / Color)	23ppm (Mono)	23ppm (Mono)
Time to First Page (Mono / Color)	< 10 sec.	< 10 sec.
Maximum Print Resolution	HQ1200 (2400 x 600 dpi)	HQ1200 (2400 x 600 dpi)
Memory (Standard / Maximum*)	8MB / 8MB	32MB / 32MB
COMPATIBILITY		
Windows®	Windows Vista®/XP/XP x64/ 2000/Server 2003	Windows Vista®/XP/XP x64/ 2000/Server 2003
Mac®	OS X 10.2.4 or greater	OS X 10.2.4 or greater
Standard Interfaces	USB[6]	USB[6]
Standard Network Interfaces	—	10/100 Base-TX Ethernet, 802.11b/g Wireless
Printer Languages / Emulations	GDI	PCL6
PAPER HANDLING		
Standard Input Capacity	250 sheets + single-sheet by-pass slot	250 sheets + single-sheet by-pass slot
Maximum Input Capacity	250 sheets	250 sheets
Output Capacity (Standard / Maximum*)	100 sheets face down	100 sheets face down
Duplex Printing	Manual	Manual
Paper Sizes	3.0" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes	3.0" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes
Paper Handling Options* (Max. Capacity)	—	—
ADDITIONAL USER MODES		
Print Settings[5]	Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing	Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing
LCD Display	—	—
OTHER		
In-Box Toner Yield[1] (Mono / Color)	1,000 pages	1,000 pages
Replacement Supplies*	TN-330 Toner (1,500 pages)[7] TN-360 Toner (2,600 pages)[7] DR-360 Drum (12,000 pages)[2]	TN-330 Toner (1,500 pages)[7] TN-360 Toner (2,600 pages)[7] DR-360 Drum (12,000 pages)[2]
Dimensions (WxDxH) / Weight	14.5" x 14.2" x 6.7" / 15.0 lbs.	14.5" x 14.2" x 6.7" / 15.0 lbs.
Limited Warranty	1 Year Express Exchange[3]	1 Year Express Exchange[3]

*Additional purchase required.

[2]Drum yield is approximate and may vary by type of use.

[3]See warranty for details.

[5]Some advanced functions are not supported under all operating systems. Refer to User's Guide at www.brother.com.

[6]Compatible with USB 2.0 specification.

[7]Approx. cartridge yield in accordance with ISO/IEC 19752 (letter/A4).

Mono Laser Printers

Small & Medium Office

	HL-5240 High-Speed, Desktop	HL-5250DN Networking, Duplex	HL-5250DNT Networking, Duplex, Dual Paper Trays	HL-5280DW Networking, Duplex, Wireless

Specifications

TECHNOLOGY				
Maximum Print Speed (Mono / Color)	30ppm (Mono)	30ppm (Mono)	30ppm (Mono)	30ppm (Mono)
Time to First Page (Mono / Color)	< 8.5 sec.	< 8.5 sec.	< 8.5 sec.	< 8.5 sec.
Maximum Print Resolution	1200 x 1200 dpi	1200 x 1200 dpi	1200 x 1200 dpi	1200 x 1200 dpi
Memory (Standard / Maximum*)	16MB / 528MB	32MB / 544MB	32MB / 544MB	32MB / 544MB
COMPATIBILITY				
Windows®	Windows Vista®/XP/2000/ NT 4.0/Me/98/95/Server 2003	Windows Vista®/XP/2000/ NT 4.0/Me/98/95/Server 2003	Windows Vista®/XP/2000/ NT 4.0/Me/98/95/Server 2003	Windows Vista®/XP/2000/ NT 4.0/Me/98/95/Server 2003
Mac®	OS 9.1-9.2, OS X 10.2.4 or greater	OS 9.1-9.2, OS X 10.2.4 or greater	OS 9.1-9.2, OS X 10.2.4 or greater	OS 9.1-9.2, OS X 10.2.4 or greater
Standard Interfaces	Parallel, Hi-Speed USB 2.0	Parallel, Hi-Speed USB 2.0	Parallel, Hi-Speed USB 2.0	Parallel, Hi-Speed USB 2.0
Standard Network Interfaces	—	10/100 Base-TX Ethernet	10/100 Base-TX Ethernet	10/100 Base-TX Ethernet, 802.11b/g Wireless
Printer Languages / Emulations	PCL6, BR-Script 3[4], IBM Proprinter, and Epson FX	PCL6, BR-Script 3[4], IBM Proprinter, and Epson FX	PCL6, BR-Script 3[4], IBM Proprinter, and Epson FX	PCL6, BR-Script 3[4], IBM Proprinter, and Epson FX
PAPER HANDLING				
Standard Input Capacity	250 sheets + 50-sheet multi-purpose tray	250 sheets + 50-sheet multi-purpose tray	500 sheets + 50-sheet multi-purpose tray	250 sheets + 50-sheet multi-purpose tray
Maximum Input Capacity	800 sheets with optional paper tray units*	800 sheets with optional paper tray units*	800 sheets with optional paper tray unit*	800 sheets with optional paper tray units*
Output Capacity (Standard / Maximum*)	150 sheets face down	150 sheets face down	150 sheets face down	150 sheets face down
Duplex Printing	Manual	Automatic	Automatic	Automatic
Paper Sizes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes
Paper Handling Options* (Max. Capacity)	250-sheet lower paper tray units (2)	250-sheet lower paper tray units (2)	250-sheet lower paper tray unit (1)	250-sheet lower paper tray units (2)
ADDITIONAL USER MODES				
Print Settings[5]	Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Job Cancel	Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Job Cancel	Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Job Cancel	Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Print, Reprint, Job Cancel
LCD Display	—	—	—	3-color
OTHER				
In-Box Toner Yield[1] (Mono / Color)	3,500 pages	3,500 pages	3,500 pages	3,500 pages
Replacement Supplies*	TN-550 Toner (3,500 pages)[1] TN-580 Toner (7,000 pages)[1] DR-520 Drum (25,000 pages)[2]	TN-550 Toner (3,500 pages)[1] TN-580 Toner (7,000 pages)[1] DR-520 Drum (25,000 pages)[2]	TN-550 Toner (3,500 pages)[1] TN-580 Toner (7,000 pages)[1] DR-520 Drum (25,000 pages)[2]	TN-550 Toner (3,500 pages)[1] TN-580 Toner (7,000 pages)[1] DR-520 Drum (25,000 pages)[2]
Dimensions (WxDxH) / Weight	14.6" x 15.1" x 9.7" / 20.9 lbs.	14.6" x 15.1" x 9.7" / 21.6 lbs.	14.6" x 15.1" x 13.7" / 26.8 lbs.	15.5" x 15.1" x 10.2" / 22.4 lbs.
Limited Warranty	1 Year Express Exchange[3]	1 Year Express Exchange[3]	1 Year Express Exchange[3]	1 Year Express Exchange[3]

*Additional purchase required.

[1]Toner yield is approximate based on 5% page coverage (letter).

[2]Drum yield is approximate and may vary by type of use.

[3]See warranty for details.

[4]PostScript®3™ compatible.

[5]Some advanced functions are not supported under all operating systems. Refer to User's Guide at www.brother.com.

Mono Laser Printers

Workgroup & Commercial

Specifications

	HL-6050D Duplex	HL-6050DN Networking, Duplex	HL-7050/ HL-7050N Networking, Expandable	HL-8050N Networking, High-Performance
TECHNOLOGY				
Maximum Print Speed (Mono / Color)	25ppm (Mono)	25ppm (Mono)	30ppm (Mono)	35ppm (Mono)
Time to First Page (Mono / Color)	< 11 sec.	< 11 sec.	< 11 sec.	< 9 sec..
Maximum Print Resolution	1200 x 1200 dpi	1200 x 1200 dpi	1200 x 1200 dpi	1200 x 1200 dpi
Memory (Standard / Maximum*)	32MB / 160MB	32MB / 160MB	32MB / 288MB	64MB / 576MB
COMPATIBILITY				
Windows®	Windows Vista®/XP/2000/ NT 4.0/Me/98/95/Server 2003	Windows Vista®/XP/2000/ NT 4.0/Me/98/95/Server 2003	Windows Vista®/XP/2000/ NT 4.0/Me/98/95/Server 2003	Windows Vista®/XP/2000/ NT 4.0/Me/98/95/Server 2003
Mac®	OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater	OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater	OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater	OS 8.6-9.2, OS X 10.1/10.2.1-10.3 or greater
Standard Interfaces	Parallel, Hi-Speed USB 2.0	Parallel, Hi-Speed USB 2.0	Parallel, USB 1.1, RS-232 Serial	Parallel, USB 1.1
Standard Network Interfaces		10/100 Base-TX Ethernet	10/100 Base-TX Ethernet (HL-7050N)	10/100 Base-TX Ethernet
Printer Languages / Emulations	PCL6, BR-Script 3[4], IBM Proprinter, and Epson FX	PCL6, BR-Script 3[4], IBM Proprinter, and Epson FX	PCL6, BR-Script 3[4], IBM Proprinter, HP-GL, and Epson FX	PCL6, BR-Script 3[4], IBM Proprinter, HP-GL, and Epson FX
PAPER HANDLING				
Standard Input Capacity	500 sheets + 100-sheet multi-purpose tray	500 sheets + 100-sheet multi-purpose tray	500 sheets + 100-sheet multi-purpose tray	550 sheets + 150-sheets
Maximum Input Capacity	1,100 sheets with optional paper tray unit*	1,100 sheets with optional paper tray unit*	2,100 sheets with optional paper tray units*	1,800 sheets with optional paper tray units*
Output Capacity (Standard / Maximum*)	250 sheets face down	250 sheets face down	500 sheets face down / 1,900 sheets with optional 10-bin mailbox/sorter	500 sheets face down / 1,000 sheets with optional offset catch tray
Duplex Printing	Automatic	Automatic	Optional*	Optional*
Paper Sizes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes	4.13" to 8.5"(w) 5.85" to 14"(l) Letter, legal, executive, A4, and envelopes	3.0" to 8.5"(w) 5.0" to 14"(l) Letter, legal, executive, A4, and envelopes
Paper Handling Options* (Max. Capacity)	500-sheet lower paper tray unit (1)	500-sheet lower paper tray unit (1)	500-sheet lower paper tray units (3), duplex unit, 10-bin mailbox/sorter, printer stand/stabilizer	550-sheet lower paper tray units (2), duplex unit, offset catch tray
ADDITIONAL USER MODES				
Print Settings[5]	Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Print, Reprint, Job Cancel	Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Print, Reprint, Job Cancel	Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Print, Reprint, Job Cancel	Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Print, Reprint, Job Cancel
LCD Display	3-color	3-color	3-color	Monochrome
OTHER				
In-Box Toner Yield[1] (Mono / Color)	7,500 pages	7,500 pages	12,000 pages	10,000 pages
Replacement Supplies*	TN-670 Toner (7,500 pages)[1] DR-600 Drum (30,000 pages)[2]	TN-670 Toner (7,500 pages)[1] DR-600 Drum (30,000 pages)[2]	TN-700 Toner (12,000 pages)[1] DR-700 Drum (40,000 pages)[2]	TN-1700 Toner/Drum Unit (17,000 pages)[1]
Dimensions (WxDxH) / Weight	15.7" x 16.7" x 12.2" / 45.8 lbs.	15.7" x 16.7" x 12.2" / 45.8 lbs.	19.1" x 18.9" x 16.6" / 53.6 lbs.	16.6" x 18.3" x 15.9" / 45.2 lbs.
Limited Warranty	1 Year Express Exchange[3]	1 Year Express Exchange[3]	1 Year Express Exchange[3]	1 Year Express Exchange[3]

*Additional purchase required.

[1]Toner yield is approximate based on 5% page coverage (letter).

[2]Drum yield is approximate and may vary by type of use.

[3]See warranty for details.

[4]PostScript®3™ compatible.

[5]Some advanced functions are not supported under all operating systems. Refer to User's Guide at www.brother.com.

Color Laser Printers

Color

	HL-4040CN Networking	HL-4070CDW Networking, Duplex, Wireless

Specifications

TECHNOLOGY		
Maximum Print Speed (Mono / Color)	21ppm / 21ppm	21ppm / 21ppm
Time to First Page (Mono / Color)	< 16 sec. /< 17 sec.	< 16 sec. /< 17 sec.
Maximum Print Resolution	2400 x 600 dpi	2400 x 600 dpi
Memory (Standard / Maximum*)	64MB / 576MB	64MB / 576MB
COMPATIBILITY		
Windows®	Windows Vista®/XP/XP x64/ 2000/Server 2003	Windows Vista®/XP/XP x64/ 2000/Server 2003
Mac®	OS X 10.2.4 or greater	OS X 10.2.4 or greater
Standard Interfaces	Hi-Speed USB 2.0, USB Direct Interface/PictBridge	Parallel, Hi-Speed USB 2.0, USB Direct Interface/PictBridge
Standard Network Interfaces	10/100 Base-TX Ethernet	10/100 Base-TX Ethernet, 802.11b/g Wireless
Printer Languages / Emulations	PCL6	PCL6, BR-Script 3[4]
PAPER HANDLING		
Standard Input Capacity	250 sheets + 50-sheet multi-purpose tray	250 sheets + 50-sheet multi-purpose tray
Maximum Input Capacity	300 sheets	800 sheets with optional paper tray unit*
Output Capacity (Standard / Maximum*)	150 sheets face down	150 sheets face down
Duplex Printing	Manual	Automatic
Paper Sizes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes	2.75" to 8.5"(w) 4.57" to 14"(l) Letter, legal, executive, A4, and envelopes
Paper Handling Options* (Max. Capacity)	—	500-sheet lower paper tray unit (1)
ADDITIONAL USER MODES		
Print Settings[5]	Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Print, Reprint, Job Cancel	Toner Save, Power Save, N-Up Printing, Watermark, Poster Printing, Secure Print, Reprint, Job Cancel
LCD Display	3-color	3-color
OTHER		
In-Box Toner Yield[1] (Mono / Color)	2,500 / 1,500 pages	2,500 / 1,500 pages
Replacement Supplies*	TN-110BK / TN-110 C,M,Y (2,500 pages / 1,500 pages)[1] TN-115BK / TN-115 C,M,Y (5,000 pages / 4,000 pages)[1] DR-110CL Drum (17,000 pages)[2]	TN-110BK / TN-110 C,M,Y (2,500 pages / 1,500 pages)[1] TN-115BK / TN-115 C,M,Y (5,000 pages / 4,000 pages)[1] DR-110CL Drum (17,000 pages)[2]
Dimensions (WxDxH) / Weight	16.5" x 18.7" x 12.5" / 64.2 lbs.	16.5" x 18.7" x 12.5" / 64.2 lbs.
Limited Warranty	1 Year Express Exchange[3]	1 Year On-Site[3]

*Additional purchase required.

[1]Toner yield is approximate based on 5% page coverage (letter).

[2]Drum yield is approximate and may vary by type of use.

[3]See warranty for details.

[4]PostScript®3™ compatible.

[5]Some advanced functions are not supported under all operating systems. Refer to User's Guide at www.brother.com.